OSHMed Magazine
Occupational Safety & Health and Medical
by E.M.A.



International

LEAD POISONING PREVENTION WEEK

ELIMINATING THE SILENT NEUROTOXIN

WHY WE UNDERESTIMATE OUR CANCER RISK • HEALTH & SAFETY: MITIGATING LIVE TRAFFIC HAZARDS • FUN TIME - JOKE OF THE WEEK • E.M.A. WEEKLY EMERGENCY STATISTICS

Platinum Supporter: WEST CARE · OSH-Med international SERVICE • TRAINING • EXCELLENCE · ATA OSH-Med International Your Future in Healthcare

Advertisement



Eliminating the Silent Neurotoxin During International Lead Poisoning Prevention Week



*As the global medical community observes **International Lead Poisoning Prevention Week (18–24 October 2026)**, the World Health Organization (WHO) and public health authorities worldwide are issuing an urgent call to action: humanity must transition from merely detecting lead exposure after the damage is done to aggressively eliminating its sources before harm begins.*

Lead is a non-degradable, bio accumulative heavy metal that attacks multiple physiological systems. The World Health Organisation is unequivocal on the matter: **there is no known level of lead exposure that is considered safe for the human body.** Even minute concentrations in the bloodstream can trigger irreversible neurological degradation, cardiovascular disease, and chronic renal damage.

In Namibia—where mining, base metal processing, maritime logistics, industrial battery maintenance, and legacy structural coatings intersect—lead exposure remains an insidious occupational and environmental health risk. Safeguarding our workforce and surrounding communities demands an uncompromising shift from passive medical screening to proactive engineering controls, strict chemical bans, and comprehensive occupational hygiene.

Advertisement



The Biological Saboteur: How Lead Attacks the Human Body

Once inhaled as microscopic dust or fumes, or ingested through contaminated hands, food, or water, lead is absorbed directly into the bloodstream. Because the body biologically mistakes lead for calcium, the toxic metal easily crosses the blood-brain barrier and integrates into soft tissues, the kidneys, and bones, where it can remain stored for decades.

1. Paediatric Vulnerability (The Developing Brain)

Children under six years of age are uniquely susceptible to lead poisoning. Because their brains and central nervous systems are undergoing rapid development, lead interferes with the formation of neural synapses and dampens neurotransmitter function.

- **Irreversible Cognitive Deficits:** Childhood lead exposure permanently reduces intellectual capacity (lowered IQ), shortens attention spans, impairs executive function, and induces behavioural disregulation.
- **Physical Stunting & Anaemia:** Lead inhibits ferrochelatase and aminolevulinic acid dehydratase, two critical enzymes required for haemoglobin synthesis, resulting in microcytic anaemia, delayed physical growth, and hearing impairment.
- **The Ingestion Pathway:** Children's natural hand-to-mouth behaviour, coupled with pica (the tendency to ingest non-food items), makes flaking lead paint chips, contaminated soil, and household dust primary ingestion routes.

Advertisement






2. Adult Occupational Hazards

In adults, chronic low-level occupational exposure acts as an invisible multiplier for long-term morbidity:

- **Cardiovascular Disease:** Lead induces oxidative stress and vascular endothelial dysfunction, directly driving chronic arterial hypertension, peripheral artery disease, and elevated risks of myocardial infarction and stroke.
- **Renal Failure:** Chronic accumulation in renal tubules triggers progressive nephrosclerosis, quietly leading to irreversible chronic kidney disease (CKD).
- **Reproductive & Neurological Harm:** In men, lead impairs spermatogenesis and induces erectile dysfunction; in expectant mothers, it crosses the placenta, causing spontaneous abortions, stillbirths, and severe congenital deficits. Neurologically, it manifests as peripheral motor neuropathy, famously presenting as "wrist drop" or "foot drop."

The Namibian Exposure Map: Industrial and Environmental Hotspots

While developed economies have largely phased out leaded materials, industrialising environments must remain vigilant against multiple occupational and domestic exposure vectors across Namibia:



- **Base Metal Extraction & Smelting Operations:** Mining communities associated with zinc-lead deposits (such as operations around Rosh Pinah) and historical smelter processing areas require continuous dust containment. Without rigorous hygiene barriers, fine mineral dust travels on boots and coveralls, contaminating family homes.
- **Lead-Acid Battery Reconditioning & Informal Scrap Yards:** Automotive and deep-cycle solar batteries represent a massive domestic market. In unregulated scrap yards or informal workshops, workers manually break open lead-acid batteries, melt down lead plates over open charcoal fires, and dump toxic sulphuric acid slurry into soil without respiratory protection or wash-down facilities.
- **Maritime Ship Repair & Industrial Abrasive Blasting:** In coastal industrial hubs like Walvis Bay and Lüderitz, refurbishment of aging

- fishing trawlers, cargo vessels, and harbour infrastructure frequently involves dry-abrasive blasting or torch-cutting through legacy lead-primed marine paints, generating concentrated plumes of toxic lead aerosol.
- **Historic Architecture & Industrial Paints:** Many older municipal structures, educational facilities, and commercial buildings constructed prior to modern coating regulations still contain deteriorating layers of lead chromate or lead carbonate paints. Dry sanding or scraping during renovation aerosolizes these coatings into respirable toxins.

The Paradigm Shift: Moving Upstream from Detection to Prevention

For decades, health and safety strategies relied heavily on reactive bio-monitoring: measuring a worker's Blood Lead Level (BLL) and issuing medical removal orders only after the blood concentration breached statutory thresholds.

While BLL testing is an indispensable safety net, an elevated blood lead level represents a failure of primary prevention. Medical chelation therapy and removing a worker from a contaminated area can reduce circulating blood levels, but it cannot reverse the neurological or vascular damage already inflicted.

True prevention demands systematic interventions at the top of the **Hierarchy of Controls**:

1. **Chemical Substitution:** Transitioning 100% of industrial, architectural, and marine paints to certified lead-free alternatives.
2. **Engineering Controls:** Equipping mechanical cutting, grinding, and

Advertisemen



1. sanding tools with local exhaust ventilation (LEV) and High-Efficiency Particulate Air (HEPA) filtration hoods. Replacing dry sweeping in processing plants with HEPA vacuum systems and wet-misting wash-downs.
2. **Strict Decontamination Hygiene:** Enforcing mandatory "clean-to-dirty" locker room transitions. Workers in high-risk zones must shower before clocking off, and work garments must be laundered through specialised on-site industrial laundries—strictly prohibiting employees from taking contaminated workwear home where children can inhale the dust.
3. **Targeted Respiratory Protection:** Where engineering controls cannot reduce ambient airborne lead below occupational exposure limits (OELs), providing fit-tested, positive-pressure respirators or half-mask particulate respirators rated for lead fume and dust.

Advertisement



Comprehensive Chemical Hazard Management with OSH-Med International

Navigating statutory chemical compliance, dust characterisation, and occupational health surveillance requires accredited technical expertise.

As the proud **Platinum Supporter of the E.M.A. non-profit organisation**, **OSH-Med International**(www.osh-med.pro) stands as Namibia's premier partner for complete chemical safety and occupational health oversight:

- **Approved Inspection Authority:** Registered with the Ministry of Labour to perform comprehensive Occupational Hygiene Surveys, including air sampling for airborne lead particulates, hazardous chemical substance (HCS) assessments, and surface contamination testing across mines, workshops, and shipyards.
- **Accredited Chemical Safety & First Aid Training:** Delivering accredited Hazardous Materials (HazMat) handling, Chemical Risk Assessment, Respiratory Protection, and certified First Aid (Levels 1–3) courses at specialised facilities in **Windhoek**,

Walvis Bay, and **Ongwediva**, or conducted directly at client operations.

- **Biological Surveillance & Medical Staffing via ATA I OSH-Med International:** Through **ATA I OSH-Med International** (www.osh-med.pro/medical-services), enterprises can deploy dedicated Occupational Health Practitioners and nurses directly to project sites to execute statutory biological exposure monitoring—including routine blood lead testing, baseline pre-placement evaluations, and targeted neurological surveillance.

Responding to Acute Toxic Encephalopathy and Heavy Metal Crises

While chronic lead poisoning develops quietly, acute massive ingestion or exposure to concentrated organic lead compounds can trigger **acute lead encephalopathy**—a life-threatening medical emergency.

Warning signs of acute toxic encephalopathy include:

- Sudden, intractable vomiting and severe abdominal colic ("lead colic").
- Rapid onset of mental confusion, visual hallucinations, and marked ataxia (uncoordinated movement).
- Intractable convulsive seizures, cerebral oedema, and sudden coma.

In any acute toxic exposure, severe chemical ingestion, or convulsive medical emergency across Namibia:

- **Call the E.M.A. Emergency Number immediately at 9112 for specialised 24/7 advanced life support paramedic response and emergency trauma transport.**
- **To audit your industrial chemical safeguards and establish accredited occupational health surveillance,**

  visit www.osh-med.pro.



Advertisemen

Stirling
Medical Centre



YOUR HEALTH OUR PRIORITY

At Stirling Medical Centre, we provide wholistic care with our head, heart and hands in a safe environment.

Our Services

- General Medical Consultations
- Women's Health
- Pap smear
- Men's Health
- Children and Adolescent Health
- General Body Check Up
- Travel Medicine
- Employment screening
- Wound Care
- Immunization

Why Choose Us?

- One stop location
- Friendly Staff
- Stirling Medical Aid
- 32 years of Experience

Contact Us:

(+264) 0813891904;
0813242855; 0815591919.

drcorneliandifon15@gmail.com
stirlingmedicalcentre4@gmail.com


Opening Hours:

Monday to Friday, 08:00 to 17:00 Hours
Saturdays, 09:00 to 15:00 Hours
Sundays and Public Holidays: Closed

Auas Valley Shopping Mall, Upper Ground 80, Opposite Safariden.

Emergency Call: 9 1 1 2

Why We Underestimate Our Cancer Risk—and How Proactive Prevention Can Change Namibia's Trajectory



Ask an average person on the streets of Windhoek, Walvis Bay, or Oshakati about their health concerns, and chances are they will point to sudden vehicular accidents, cardiovascular disease, or economic stress. When it comes to cancer, the prevailing mindset is almost universally one of psychological distancing: cancer is viewed as a rare misfortune, a matter of genetic destiny, or something that happens only to other people.

However, as highlighted in an in-depth clinical analysis, human beings harbour a profound cognitive bias when evaluating cancer risk. Most people drastically underestimate their lifetime likelihood of developing a malignancy, while simultaneously overestimating the role of unchangeable genetics and underestimating the power of modifiable daily habits.

Globally, roughly one in three people will develop cancer during their lifetime. Yet epidemiological data delivers an empowering counter-truth: **up to 40 percent of all cancer cases are entirely preventable through lifestyle modifications, environmental protection, and early detection.** In Namibia, where late-stage cancer diagnoses continue to place immense emotional and financial burdens on families and healthcare systems, dismantling this illusion of invulnerability is an urgent national priority.

The Psychology of Risk: The "It Won't Happen to Me" Trap

Why do so many underestimate their personal risk? Medical sociologists and psychologists identify several deeply ingrained cognitive mechanisms:

- **Optimism Bias:** The human brain naturally assumes that negative events are far less likely to happen to oneself than to peers. We observe distant acquaintances facing a diagnosis but subconsciously convince ourselves that our own bodies are somehow immune.

- **The "Genetic Fatalism" Myth:** Many assume cancer is purely hereditary. In reality, inherited genetic mutations account for only **5 to 10 percent** of all cancers. The overwhelming majority (90 to 95 percent) stem from cumulative cellular DNA damage caused by external carcinogens, chronic inflammation, metabolic stress, and lifestyle factors.
- **Delayed Consequences:** Unlike an industrial fall or a sudden heart attack, carcinogens work silently over decades. A cigarette smoked or a sunburn sustained at age twenty causes microscopic cellular mutations that may not manifest as a tumor until age fifty or sixty. Because the threat is not immediate, the brain fails to treat it with urgency.

Modifiable Hazards: The Big Five in the Namibian Context

Navigating cancer risk in Namibia requires confronting five predominant lifestyle and environmental factors:

1. Tobacco in All Forms

Smoking remains the leading preventable cause of cancer worldwide. It is responsible not only for over 85 percent of lung cancers, but also fuels malignancies of the bladder, kidneys, pancreas, mouth, and throat. In Namibia, the growing use of hookahs (hubbly-bubbly) among young adults and traditional chewing or snuff tobacco in rural communities presents equally dangerous, highly concentrated exposures to chemical carcinogens.

2. Alcohol Consumption

Alcohol is a classified Group 1 human carcinogen. When metabolised, ethanol breaks down into acetaldehyde, a toxic chemical that permanently damages cellular DNA and prevents cells from repairing the damage. Regular consumption directly elevates the risk of liver, oesophageal, colorectal, and breast cancers. When combined, tobacco and alcohol act synergistically, multiplying the risk of upper digestive and respiratory cancers tenfold.

Advertisement



3. Diet, Obesity, and Sedentary Lifestyles


Namibia's rich culinary traditions often revolve heavily around red meat and heavily processed, salted meats (such as boerewors, biltong, and cured sausages), frequently paired with low intake of dietary fibre, fresh vegetables, and whole grains. High consumption of processed meats is closely linked to colorectal cancer. Furthermore, rising rates of obesity trigger chronic low-grade systemic inflammation and elevated insulin-like growth factors, driving cancers of the breast, uterus, kidneys, and gallbladder.

4. Intense Ultraviolet (UV) Radiation

With over 300 days of intense sunshine annually, Namibia's solar environment presents severe dermatological hazards. Unprotected sun exposure—whether on outdoor industrial job sites, agricultural fields, or during recreation—induces DNA mutations in melanocytes and keratinocytes. This drives both non-melanoma skin cancers (basal and squamous cell carcinomas) and deadly malignant melanomas. Outdoor workers and individuals with fair skin or albinism face exceptionally high vulnerability.

5. Preventable Oncogenic Infections

Certain common infections directly initiate malignancy. In Namibia, **Human Papillomavirus (HPV)** is the primary driver of cervical cancer, which remains the leading cause of cancer death among Namibian women. Fortunately, HPV vaccination and regular cervical screening can prevent this disease entirely. Similarly, chronic Hepatitis B and C infections—both manageable and preventable—are primary contributors to hepatocellular carcinoma (liver cancer).



The Power of Early Detection: The Cancer Association of Namibia (CAN)

While primary prevention aims to keep cancer from forming, secondary prevention —detecting precancerous lesions or early-stage tumours before symptoms emerge— transforms cancer from a terminal diagnosis into a curable condition. Stage I cancers often boast five-year survival rates exceeding 90 percent, whereas Stage IV diagnoses carry dramatically reduced prognoses.

In Namibia, the public does not have to face this challenge alone. The **Cancer Association of Namibia (CAN)** serves as the nation's premier non-governmental pillar in cancer fighting, advocacy, and patient care.

How CAN Directly Helps the Community:

- **Affordable Clinical Screening:** Through its Family Care Clinic in Windhoek, CAN provides heavily subsidised, accessible preventative screenings, including Pap smears for cervical cancer, clinical breast examinations, and Prostate-Specific Antigen (PSA) blood testing for men.
  National Mobile Screening Clinics: Recognising that rural and underserved communities face steep travel costs to access healthcare, CAN operates dedicated mobile screening clinics that travel throughout Namibia's 14 regions, delivering life-saving early detection directly to remote settlements and

Advertisemen



farming communities.

- **Patient Accommodation & Interim Support:** For regional patients who must travel to Windhoek to receive lengthy radiation or chemotherapy treatments at the central hospital, CAN operates **House Acacia** and **CHICA** (Children Fighting Cancer in Namibia), providing clean, safe, and nurturing interim accommodation, meals, and psychosocial support.
- **Public Education & Advocacy:** Distributing vital awareness materials and conducting workplace educational drives to normalise conversations around cancer, dispel harmful myths, and guide individuals toward screening.

Every Namibian is encouraged to connect with CAN to schedule routine annual screenings and take advantage of these vital services.

Managing Acute Oncological Crises

While cancer management is predominantly an outpatient and clinical journey, advanced disease or intense chemotherapy regimens can trigger sudden, life-threatening acute complications—such as massive internal haemorrhages, acute respiratory obstruction from thoracic masses, pathological fractures, or febrile neutropenia culminating in septic shock.

- **Book personal screenings or support cancer fighting efforts, contact the Cancer Association of Namibia (CAN).**



Advertisement



Advertisement



Health & Safety - Mitigating Live Traffic Hazards on Active Construction Corridors



Major infrastructure projects serve as vital lifelines for Namibia's economic growth. From the continuous expansion and rehabilitation of the B1 trunk road connecting the northern border to the southern gateway, to dual-carriageway construction toward Hosea Kutako International Airport, urban resurfacing across Windhoek, and ongoing upgrades along the Walvis Bay-Swakopmund transit corridor, civil engineering works are everywhere.

However, road rehabilitation and roadside construction represent some of the most dangerous work environments in the country. On these active job sites, ground workers, surveyors, asphalt teams, and heavy plant operators perform complex tasks merely inches away from live, high-speed public traffic.

As detailed in an occupational safety analysis published by *Occupational Health & Safety*, live traffic remains one of the most volatile and unpredictable hazards on any construction site. When standard vehicular routes intersect with dynamic civil construction, the potential for catastrophic vehicle strikes escalates exponentially. For Namibian contractors, site engineers, and road authorities, protecting frontline personnel demands transitioning away from improvised roadside signage to comprehensive, engineered Traffic Management Plans (TMPs) and uncompromising physical site controls.

Anatomy of the Hazard: Why Work Zones Turn Fatal

Managing live traffic on a construction corridor differs fundamentally from managing hazards inside a factory or fenced compound. Inside an industrial facility, access is tightly regulated; on a road project, the general public—often inattentive, speeding, or fatigued—operates heavy machinery (cars, freight haulers, buses) right through the workplace.

Several critical factors make live traffic zones exceptionally lethal in Namibia:

- **High Differential Speeds on Long-Distance Arteries:** Arterial routes like the B1, B2, and Trans-Kalahari Corridor feature standard open-road speed limits of 120 km/h. Long-haul articulated trucks, cross-border freight carriers, and private motorists frequently travel at high velocities for

hundreds of kilometres. When these drivers encounter sudden roadworks, their perception-reaction time is often severely delayed, resulting in dangerous deceleration failures and rear-end collisions within congested work zones.

- **The "Plastic Barrier" Illusion:** A widespread misconception among site supervisors is that a line of orange traffic cones or plastic delineator posts provides worker protection. Visual delineators provide guidance to drivers; they offer **zero impact resistance**. A two-tonne bakkie or a thirty-tonne interlink freight truck striking a plastic cone at 80 km/h will penetrate an active work trench in a fraction of a second.
- **Environmental Degradation & Dust Blindness:** In Namibia's arid interior and dry gravel bypasses, passing traffic and earthmoving equipment churn up dense clouds of fine caliche and mineral dust. Coupled with the blinding morning or late-afternoon solar glare common to Namibia's topography, visibility can drop to near zero within seconds, completely obscuring flag persons and ground workers.
- **Dual Traffic Friction (External vs. Internal):** Workers on active road projects face threats from two fronts: external public motorists veering off designated lanes, and internal site traffic. Heavy tipper trucks, water bowsers, compactors, and graders operating within the cordoned workspace have substantial blind spots and frequently reverse in close proximity to unshielded ground workers.

The Layered Defence: Modern Traffic Management Principles

Preventing tragic vehicle-worker impacts requires establishing an engineered, structured Temporary Traffic Management (TTM) strategy divided into five non-negotiable operational zones:

1. The Advance Warning Area

Drivers must be informed of upcoming hazards long before they reach the work area. In high-speed rural corridors, warning signs must begin kilometres in advance,

Advertisement





utilising stepped speed reductions (from 120 km/h down to 100, 80, and ultimately 60 km/h or less). Rumble strips and variable message signs (VMS) should be deployed to awaken fatigued drivers and demand cognitive attention.

2. The Transition Area

This is the zone where traffic is safely shifted out of its normal path using gradual tapers. Taper lengths must be mathematically calculated based on the design speed of the road; abrupt lane closures force aggressive braking, erratic lane changes, and dangerous sideswipes.

3. The Buffer Space

A dedicated, empty longitudinal and lateral space between the transition taper and the actual work zone. This space provides an essential "forgiving zone" for errant vehicles that fail to slow down, giving drivers room to regain control without breaching the active construction area. No equipment, materials, or workers may ever occupy the buffer zone.

4. The Work Activity Area

The active zone where construction occurs. Wherever feasible, positive physical separation—such as certified, interlocking precast concrete barriers (Jersey barriers) or crash-rated truck-mounted attenuators (TMAs)—must separate live traffic from human workers. Positive barriers physically absorb kinetic energy and redirect errant vehicles away from workers.

5. The Termination Area

The forward section that allows traffic to safely clear the active site and transition back to standard driving conditions and statutory speed limits.

Safeguarding the Vulnerable: Flag Persons and Internal Control

Flag persons (stop/go operators) occupy one of the most hazardous jobs in construction. To ensure their survival,


contractors must enforce strict operational rules:

- **Never Stand in the Travel Lane:** Flag operators must always position themselves on the shoulder of the road, visible from a minimum of 150 meters, and never step into the path of oncoming traffic.
- **Establish a Pre-Planned Escape Route:** A flagger must continuously monitor approaching vehicles and always maintain a clear, unobstructed physical path to jump to safety if a vehicle fails to stop.
- **Deploy High-Visibility Class 3 PPE:** Full retroreflective garments compliant with EN ISO 20471 or equivalent standards are mandatory, featuring 360-degree visibility. At dawn, dusk, or during night operations, illuminated LED wands and overhead task lighting must illuminate the control point.
- **Enforce Internal Traffic Control Plans (ITCP):** Within the site, pedestrian zones must be strictly isolated from heavy machinery routes. All mobile equipment must be equipped with functioning broad-band white noise reverse alarms, 360-degree proximity cameras, and operators must establish positive eye contact or radio confirmation before any ground worker enters a machine's swing radius.


Elevating Civil Construction Safety with OSH-Med International

Developing and maintaining statutory work zone traffic safety requires rigorous auditing, regulatory alignment with Roads Authority standards, and specialised workforce training. As the proud **Platinum Supporter of the E.M.A. non-profit organisation**, **OSH-Med International**(www.osh-med.pro) provides comprehensive occupational safety frameworks tailored for civil engineering, infrastructure, and mining transport sectors.

Advertisement



Fun Time - *Joke of the week*



What do you call a snake that's exactly 3.1415 meters long?

A python!

Advertisement



ATA OSH-Med International

Your Future in Healthcare.

We offer the Healthcare Turnkey Solution for you

- ☑ Medical onsite staffing & clinics (Paramedics, Nurses, Doctors)
- ☑ Medical project advisory (Building clinics, hospitals, mobile units)
- ☑ TeleMed Health Centre (Telemedicine available across Africa)
- ☑ Emergency & Rescue Projects (Training, equipment, staffing)
- ☑ Ambulance, Medical Vehicle, Fire & Rescue Vehicle conversion

Service Hotline: 061 302 931
Email: ata@osh-med.pro

E.M.A. Emergency Statistics updated 24.9.2026


In 2026
E.M.A. assisted the public with
Emergencies in the value of

NAD 1,087,000.00

up till now

	Medical	Trauma	Maternity	Paediatric	Level of Care: Advanced	Level of Care: Intermediate	Level of Care: Basic
January	67	30	3	0	13	33	54
February	66	40	3	2	24	26	61
March	72	37	0	2	24	18	69
April	19	10	0	0	0	15	14
May	34	26	0	0	5	16	39
June	30	12	0	0	3	11	28
July	36	19	1	0	14	16	
August	39	28	2	1	10		
September	27	14	0	0	7		
October	0	0	0	0			
November	0	0	0				
December	0	0	0				
Total per annum	390	216					353
Total	620						

Currently our ambulance is off duty, due to mechanical faults.
if you would like to assist us, bringing back your community ambulance
contact us on 9112@osh-med.pro



You can assist E.M.A. to help others by becoming a supporting member
more information on www.ema-organisation.pro

E.M.A. nonprofit organisation say THANK YOU to our supporters:

Platinum Supporter

OSH-Med international
SERVICE • TRAINING • EXCELLENCE
www.osh-med.pro

WEST CARE
www.westcarenam.com

www.metjeziegler.org

ATA OSH-Med International
Your Future in Healthcare.
www.osh-med.pro/medical-services

Gold Supporter

Teltech
Thompson's Electronics & Technology

Silver Supporter

BS
BOKEH STUDIOS

Bronze Supporter

MOTOR MEDIA NAMIBIA

SAFMED PHARMACY

UNIFY COMMUNICATIONS

Become a supporter

It is easy to become a supporter as private person or as company.
Apply with us to become a supporting member that we can fulfil our objectives.
Contact us:
Email: ema-organisation@osh-med.pro
Website: www.ema-organisation.pro
Telephone: +264 (0) 61 302 931

OSH-Med international

SERVICE • TRAINING • EXCELLENCE

&

Emergency Call

Important information to give:

- **Where** is the emergency?
- **What** happened?
- **What** kind of injuries?
- **How many** injured person
- **Waiting** for further question

Emergency Numbers:

Ambulance services:

E.M.A. Rescue Service 9112

Fire Brigade:

Windhoek 061-21 1111

Police:

NamPol 10 111

City Police (Whk) 061-302 302

MVA Fund 9682

(all numbers are from GRN or non-profit organisations)

d.o.c. doctors on call in association with OSH-Med International, Emergency Medical Assistance, WEST

085 9112

d.o.c. Service Hotline 085 - 9112

OSH-Med International and Emergency & Medical Assistance Service Hotline: 061 – 302 931