OSHMed Magazine
Occupational Safety & Health and Medical
by E.M.A.



CONFRONTING THE SILENT EPIDEMIC

EARLY ACTION, LASTING IMPACT

Broken Sleep, Hidden Risks • Health & Safety: The AI Illusion • Fun time - Joke of the week • E.M.A. weekly Emergency Statistics

Platinum Supporter: WEST CARE · OSH-Med international SERVICE • TRAINING • EXCELLENCE · ATA OSH-Med International Your Future in Healthcare.

Advertisement



Kings Highway

TOW-IN







- Towing
- Accident assistance
- Vehicle Recovery
- Roadside assistance
- Vehicle transport
- Truck breakdown assistance

081-826-4886

Confronting the Silent Epidemic on World Diabetes Day - Early Action, Lasting Impact

*As Namibia approaches **World Diabetes Day on 14 November 2026**, the global healthcare community is sounding an urgent alarm. The International Diabetes Federation (IDF) has designated the 2026–2027 global theme as **"Early action on diabetes."***



This year's campaign shifts the focus away from simply managing advanced complications and directs it squarely at early diagnosis, symptom recognition, and proactive risk reduction. With over half a billion people living with diabetes globally—and nearly 50 percent of those individuals remaining undiagnosed—diabetes is no longer just a medical concern; it is a profound occupational health and workplace productivity crisis.

In Namibia, shifting dietary patterns, increasing urbanisation, and sedentary industrial and corporate lifestyles have accelerated the prevalence of Type 2 diabetes. For employers and citizens alike, moving from passive awareness to "early action" is the only sustainable way to protect the national workforce.

The "4Ts" of Type 1 Diabetes: Recognising the Paediatric Emergency

While Type 2 diabetes develops gradually and is heavily linked to lifestyle factors, Type 1 diabetes is an autoimmune condition that often strikes suddenly in children and young adults. In Type 1, the pancreas ceases insulin production entirely, leading to a rapid, life-threatening accumulation of glucose in the bloodstream.

The 2026 IDF campaign emphasises the **"4Ts"**—a vital mnemonic designed to help parents, teachers, and primary care workers recognise the onset of Type 1 diabetes before it escalates into diabetic ketoacidosis (DKA):

Advertisement



- **Toilet:** Needing to urinate frequently, or a sudden onset of bedwetting in a previously trained child, as the kidneys work overtime to flush out excess sugar.
- **Thirst:** Experiencing unquenchable, excessive thirst to replace the fluids lost through frequent urination.
- **Tired:** Feeling extreme, unrelenting fatigue and lethargy because the body's cells cannot absorb glucose for energy.
- **Thinner:** Rapid, unexplained weight loss despite an increased appetite, as the body begins breaking down fat and muscle tissue for fuel.

If a child or young adult exhibits these symptoms, immediate medical evaluation and blood glucose testing are mandatory.

Advertisement




The Stealth Threat of Type 2 Diabetes

Type 2 diabetes, which accounts for over 90% of all global diabetes cases, is characterised by insulin resistance—the body produces insulin, but the cells fail to use it effectively.

Unlike the sudden onset of Type 1, Type 2 diabetes is notoriously stealthy. A person can live with elevated blood sugar for years without noticing obvious symptoms. During this prolonged undiagnosed phase, high glucose levels silently damage the vascular system, peripheral nerves, and kidneys.

In the Namibian industrial context, undiagnosed Type 2 diabetes presents severe occupational hazards:

- **Visual Impairment (Diabetic Retinopathy):** Gradual damage to the retinal blood vessels impairs vision, posing critical risks for heavy machinery operators, long-haul fleet drivers, and maritime workers.
- **Peripheral Neuropathy:** Loss of sensation in the feet and lower extremities means an industrial worker might step on a sharp object or suffer a friction ulcer inside a safety boot without feeling pain, rapidly leading to severe infection and potential amputation.
- **Cardiovascular Vulnerability:** Diabetes acts as a massive multiplier for cardiovascular disease. Workers with uncontrolled diabetes face a dramatically higher risk of sudden myocardial infarction (heart attack) or stroke while on duty.



Taking Early Action: Screening and Risk Reduction

The core message of the 2026 campaign is that Type 2 diabetes is largely preventable—or at least significantly delayable—through proactive health surveillance and lifestyle modification.

- **Utilise IDF Risk Assessment Tools:** The International Diabetes Federation provides accessible, evidence-based online risk calculators that evaluate a person's age, BMI, family history, and physical activity levels to determine their risk of developing Type 2 diabetes over the next decade.
- **Mandatory Metabolic Screening:** Adults over 35, or those with a family history of diabetes or hypertension, should undergo routine fasting blood glucose or HbA1c testing annually.
- **Dietary and Physical Intervention:** Reducing the intake of refined sugars and heavily processed starches (common in many fast-paced urban diets) and committing to at least 150 minutes of moderate physical activity per week can effectively reverse pre-diabetes and restore metabolic stability.

Empowering the Workforce with ATA I OSH-Med International

Combating a metabolic epidemic requires bringing healthcare directly to the workforce.

As the proud **Platinum Supporter of the E.M.A. non-profit organisation**, **OSH-Med International**(www.osh-med.pro) enables Namibian enterprises to take decisive early action on diabetes:

- **Turnkey On-Site Medical Clinics:** Through **ATA I OSH-Med International** (www.osh-med.pro/medical-services), companies can deploy Registered Nurses and clinical practitioners directly to industrial sites and corporate offices to conduct routine blood glucose screening, HbA1c testing, and comprehensive fit-for-duty medicals.
- **Corporate Wellness & Education:** Delivering targeted workplace wellness programs that educate employees on nutrition, fatigue management, and early symptom recognition, ensuring workers understand their personal metabolic risks.
- **Accredited First Aid Training:** Equipping designated first aiders with the practical skills to recognise and manage diabetic emergencies (such as acute hypoglycaemia) through certified courses at academies in **Windhoek**, **Walvis Bay**, and **Ongwediva**.

Emergency Response: Managing Acute Diabetic Crises

When diabetes is poorly managed, or when a patient misses an insulin dose or skips a meal, blood sugar levels can crash (hypoglycaemia) or spike dangerously (hyperglycaemia/DKA).

An acute hypoglycaemic episode can cause sudden confusion, aggressive behaviour, seizures, and rapid loss of consciousness. This is a time-critical medical emergency.

If a worker or colleague becomes suddenly confused, begins sweating profusely, or collapses:

- If they are conscious and able to swallow, immediately provide a fast-acting sugar (e.g., fruit juice, a regular soda, or glucose gel).
- If they are unconscious or seizing, do NOT put anything in their mouth. Place them in the recovery position.

- **Call the E.M.A. Emergency Dispatch Center immediately at 9112 for 24/7 Advanced Life Support (ALS) paramedic dispatch and intensive care resuscitation across Namibia.**

Advertisemen



Advertisement



Broken Sleep, Hidden Risks: Why Nocturia Demands Medical Attention Rather Than Silent Endurance



Waking up once or multiple times during the night with an urgent need to empty the bladder is often brushed off as an annoying but harmless consequence of aging, a cold bedroom, or having an extra glass of water before turning in. In the morning, however, the consequences are unmistakable: persistent exhaustion, brain fog, slowed physical reflexes, and an unshakeable feeling of being completely depleted before the working day has even begun.

As examined in a medical report, this condition—clinically termed **nocturia**—is not a standalone disease, but a telling physiological symptom. When a person must disrupt their sleep cycle two or more times every night to urinate, it signals a deeper disruption within the body. Beyond fracturing the restorative architecture of deep sleep, untreated nocturia frequently acts as the first warning light for unmanaged systemic illnesses, ranging from undiagnosed diabetes and cardiovascular failure to obstructive sleep apnea and urological disorders.

In Namibia, where industrial shift work, gruelling transport routes, high daytime temperatures, and unlit domestic environments intersect, accepting chronic nightly awakenings as "normal" carries dangerous health and safety consequences.

The Biological Mechanisms: Why the Bladder Calls at Night


Under normal physiological conditions, the

Advertisement

WEST CARE

WEST CARE TRAVELING NURSES





We offer services such as traveling nurses and occupational health practitioners.

We travel to the lodge and perform tests for foodhandlers certificates.

Get in-touch today for a free quote and more information.

WFC WESTCARE CC
PO Box 97486 Maerua Mall
frontoffice@westcarenam.com
061 238 203
061 228 203
C/o Sam Nujoma Drive and Beethoven street, Windhoek West
www.westcarenam.com
West Care Medical Centre
@westcaremedicalcentre



human body concentrates urine overnight through an increased nocturnal release of antidiuretic hormone (vasopressin), allowing for six to eight hours of uninterrupted rest.When nocturia develops, this circadian balance collapses, driven by one of several distinct clinical pathways:

1. Nocturnal Polyuria (Overproduction of Urine at Night)

In many individuals, total 24-hour urine volume remains normal, but more than 20 to 33 percent of it is produced while lying down:

- **The Cardiovascular Fluid Shift:** In patients with mild or early congestive heart failure or venous insufficiency, gravity causes fluid to pool in the lower legs and ankles during daytime standing or seated desk work. Once the person lies flat in bed, that pooled interstitial fluid re-enters the bloodstream, prompting the kidneys to filter out the excess volume as urine throughout the night.
- **Obstructive Sleep Apnea (OSA):** When breathing repeatedly stops and starts during sleep due to collapsed airways, the heart experiences intense negative intrathoracic pressure and hypoxic stress. This mechanical strain triggers the cardiac atria to release atrial natriuretic peptide (ANP), a hormone that directly signals the kidneys to dump water and sodium, causing rapid bladder filling.
- **Undiagnosed or Poorly Controlled Diabetes:** When circulating blood glucose spikes above renal thresholds, the kidneys work overtime to flush the excess sugar out through osmotic diuresis. Sudden, frequent night-time urination accompanied by unquenchable thirst is a classic warning sign of both Type 2 diabetes in adults and sudden-onset Type 1 diabetes in children.

2. Reduced Bladder Capacity and Urological Obstruction

The kidneys may produce a normal amount of urine, but the bladder cannot comfortably hold it:

- **Benign Prostatic Hyperplasia (BPH):** In men over 45, an enlarged prostate gland physically constricts

the urethra, preventing complete bladder emptying and leaving residual urine that triggers frequent urgency.

- **Overactive Bladder (OAB) & Cystitis:** Involuntary spasms of the bladder detrusor muscle signal urgent fullness even when only small volumes of urine are present.
- **Pelvic Floor Laxity:** Weakened supportive pelvic muscles, particularly in women following childbirth or menopause, reduce urethral resistance and bladder stability.

The Namibian Context: Industrial Fatigue and Night-Time Domestic Trauma

In Namibia's industrial and domestic landscape, nocturia presents distinct operational and physical hazards:

- **The "Catch-Up" Hydration Trap:** During blistering summer days in central, northern, and southern Namibia, ambient temperatures routinely exceed 35°C to 40°C. Dehydrated workers returning home often down large volumes of water, cold rooibos tea, or sugary sodas late in the evening to "catch up." Flooding the system right before bed guarantees repeated nocturnal awakenings.
- **Industrial Fatigue on High-Risk Sites:** An artisan operating heavy plant machinery at an open-pit mine in Erongo, an overhead crane operator at the Port of Walvis Bay, or a long-haul driver piloting a 30-tonne freight carrier along the B1 trunk road cannot afford fragmented sleep. Two or three nocturnal awakenings deprive the brain of slow-wave NREM and REM sleep, slowing reaction times and increasing the likelihood of fatal microsleeps behind the wheel or on the catwalk.

Advertisement



- **The Nocturnal Fall Hazard:** Stumbling out of bed in a darkened room while drowsy is a leading cause of severe orthopaedic injuries. Across many Namibian households, navigating unlit corridors, tiled floors, steps, or uneven outdoor yards to reach ablution facilities creates an acute risk of tripping, resulting in femoral neck fractures, dislocated shoulders, and traumatic brain injuries—especially among elderly family members.
- **Evening Stimulants and Alcohol:** Relaxing with evening alcohol or enjoying strong coffee or black tea late in the afternoon introduces potent diuretics that irritate the bladder wall and suppress antidiuretic hormones overnight.

Evidence-Based Behavioural Interventions

Clinical experts emphasise that many cases of mild-to-moderate nocturia can be significantly relieved through disciplined lifestyle adjustments before resorting to pharmaceutical therapy:

- **Implement a Fluid Distribution Curfew:** Drink the majority of your daily water intake during the morning and afternoon. Taper fluid consumption down during the last two to three hours before sleep, taking only small sips if thirsty.
- **Enforce a 6-Hour Stimulant Cutoff:** Avoid coffee, black tea, green tea, energy drinks, and caffeinated sodas for at least six hours before bedtime.
- **Eliminate Nightcaps and Evening Salt:** While alcohol may induce drowsiness, its rebound diuretic

Advertisemen




effect forces middle-of-the-night bathroom trips. Similarly, avoid heavily salted snacks, biltong, or spicy dinners late at night, which stimulate thirst and promote water retention.

- **Daytime Fluid Mobilisation for Swollen Legs:** If you experience lower leg swelling by the end of the day, elevate your legs horizontally or slightly above hip level for one to two hours in the late afternoon or early evening. This allows the kidneys to filter out pooled fluid while you are still awake rather than when you are trying to sleep.
- **Adjust Medication Timing:** If you are prescribed diuretic medications for arterial hypertension or heart failure, consult your prescribing doctor about moving the dose to the morning rather than taking it late in the day.
- **Secure the Pathway:** Place low-wattage plug-in nightlights or motion-activated battery LED lights in hallways and bathrooms to illuminate the route and eliminate fall risks.

When Nocturnal Emergencies Strike

While nocturia is typically an outpatient medical condition, certain acute presentations represent life-threatening emergencies requiring immediate clinical intervention:

- **Acute Urinary Retention:** Complete inability to pass urine despite an agonisingly full, rock-hard lower abdomen, frequently caused by acute prostate blockage.
- **Severe Nocturnal Fall Trauma:** A disoriented night-time fall resulting in an inability to bear weight, severe hip pain, suspected spinal injury, or loss of consciousness from head trauma.
- **Acute Pulmonary Oedema:** Waking up suddenly in the middle of the night gasping for breath, unable to lie flat, or coughing up pink, frothy sputum due to acute left ventricular cardiac failure.
- **Paediatric Diabetic Ketoacidosis (DKA):** A child exhibiting sudden bedwetting, excessive thirst, heavy rapid breathing, vomiting, and confusion.



Advertisemen

Stirling
Medical Centre



YOUR HEALTH OUR PRIORITY

At Stirling Medical Centre, we provide wholistic care with our head, heart and hands in a safe environment.

Our Services

- General Medical Consultations
- Women's Health
- Pap smear
- Men's Health
- Children and Adolescent Health
- General Body Check Up
- Travel Medicine
- Employment screening
- Wound Care
- Immunization

Why Choose Us?

- One stop location
- Friendly Staff
- Stirling Medical Aid
- 32 years of Experience

Contact Us:

(+264) 0813891904;
0813242855; 0815591919.

drcorneliandifon15@gmail.com
stirlingmedicalcentre4@gmail.com

Opening Hours:

Monday to Friday, 08:00 to 17:00 Hours
Saturdays, 09:00 to 15:00 Hours
Sundays and Public Holidays: Closed

Auas Valley Shopping Mall, Upper Ground 80, Opposite Safariden.

Emergency Call: 9 1 1 2

Health & Safety - The AI Illusion: When Automated Safety Procedures Create Real - World Hazards in Industry

The integration of artificial intelligence into daily corporate workflows has promised unprecedented efficiency. Across administrative offices in Windhoek and logistics planning rooms in Walvis Bay, generative AI is increasingly being used to draft emails, generate reports, and summarise meeting notes. However, a dangerous trend is emerging: safety managers and corporate leaders are increasingly relying on AI chatbots to write critical workplace safety procedures, Hazard Identification and Risk Assessments (HIRA), and lockout / tagout protocols.



While an AI-generated document may look highly professional and structurally complete on the surface, it lacks physical context, site-specific awareness, and genuine hazard comprehension. As a result, companies are unknowingly deploying flawed safety instructions that leave their frontline workers exposed to severe, unmitigated risks.

A recent study by TRADESAFE, published in *Occupational Health & Safety*, investigated the growing use of artificial intelligence in workplace safety documentation and exposed significant vulnerabilities in how these automated tools are being utilised.

The Data: The Cost of Blind Automation

The study, which surveyed over 500 workers across manufacturing, construction, warehousing, and skilled trades, revealed alarming trends regarding AI-assisted safety documentation:

- **Prevalence of AI:** 51% of respondents indicated their employers use generative AI to help write safety documents.
- **High Error Rates:** 36% reported seeing AI-generated documents containing outdated requirements, missing hazard information, or vague instructions.
- **Real-World Consequences:** 20% of workers witnessed adverse outcomes directly linked to these mistakes, including near misses, failed inspections, equipment damage, and physical injuries.
- **Accountability Gaps:** Only 18% of respondents reported having a formal workplace policy defining who is

accountable for errors in AI-generated safety materials.

The illusion of competence is AI's most dangerous feature. As Herbert Post, vice president of TRADESAFE, noted, safety procedures can appear comprehensive but still lack the critical steps required to protect personnel from serious harm.

The Namibian Context: Generic Advice in a Unique Environment

In Namibia, deploying generic, AI-generated safety procedures is a recipe for disaster. An AI language model scraping the internet for a "standard road construction safety plan" will not account for the blinding caliche dust of the Erongo region, the 40°C afternoon heat stress of the southern interior, or the specific statutory requirements of the Namibian Labour Act.

Furthermore, AI creates an accountability vacuum. If a worker is severely injured because an AI-generated confined space entry procedure failed to mandate atmospheric gas testing, who is responsible? The survey highlighted that in a hypothetical scenario involving an injury caused by an unreviewed AI procedure, 56% of respondents would assign primary responsibility directly to company leadership or the safety department.

The PPE Disconnect: Moving From Vague Text to Physical Protection

One of the most common flaws in AI-generated safety documents is the use of vague, non-specific directives.An AI will frequently generate a bullet point stating: *"Ensure workers wear appropriate personal protective equipment (PPE) and safety footwear."*

This generic instruction is operationally useless. It does not specify whether a worker in a Walvis Bay fish processing plant requires chemical-resistant polyurethane boots with SRC-rated slip resistance, or if an artisan in an Oshakati fabrication


Advertisement



workshop requires steel-toed boots with metatarsal impact guards and Kevlar anti-penetration midsoles.

Translating safety policy into physical protection requires localised human expertise and immediate access to the correct gear. As the proud **Platinum Supporter of the E.M.A. non-profit organisation**, **OSH-Med International** bridges this exact gap by offering a wide variety of PPE and highly specialised safety shoes tailored to the specific environmental and mechanical hazards of Namibian industry. Organisations do not need to guess what "appropriate footwear" means; OSH-Med International provides the exact, compliant equipment required to keep workers grounded, stabilised, and protected.

Advertisement



The Solution: AI as a Tool, Not an Authority

While AI can be a useful administrative tool for formatting documents or drafting preliminary outlines, it must never replace human technical review. The study found that while 63% of workers would trust a safety policy less if they knew AI helped write it, 78% stated that their confidence would be restored if a qualified person conducted a thorough review.

Reviewing a document is where missing steps, dangerous omissions, and incongruent instructions are identified and corrected.

Through **OSH-Med International** (www.osh-med.pro), Namibian enterprises can ensure their safety protocols are not just grammatically correct, but operationally sound:

- **Approved Inspection Authority:** Providing accredited human oversight, physical risk profile verifications, and legal compliance audits to ensure safety files meet Ministry of Labour standards.
- **Accredited OSH Training:** Equipping designated Safety Officers

and Safety Representatives with the skills to identify on-site hazards that an algorithm cannot see.

- **Comprehensive PPE Supply:** Sourcing and supplying the exact safety footwear, high-visibility workwear, and specialised protective equipment required by site-specific risk assessments.



Advanced Emergency Medical Response


When automated safety procedures fail and hazards slip through the cracks, physical accidents occur. In the event of a machinery entanglement, a severe slip-and-fall, or an industrial trauma crisis, rapid pre-hospital care is the final safety net.

- **For accredited safety file auditing, professional HSE consulting, and a wide variety of PPE and safety shoes, visit www.osh-med.pro.**

Advertisement



Fun Time - *Joke of the week*



Why did the M&M go to school?

It wanted to be a Smartie.

Advertisement



ATA OSH-Med International

Your Future in Healthcare.

We offer the Healthcare Turnkey Solution for you

- Medical onsite staffing & clinics (Paramedics, Nurses, Doctors)
- Medical project advisory (Building clinics, hospitals, mobile units)
- TeleMed Health Centre (Telemedicine available across Africa)
- Emergency & Rescue Projects (Training, equipment, staffing)
- Ambulance, Medical Vehicle, Fire & Rescue Vehicle conversion

Service Hotline: 061 302 931
Email: ata@osh-med.pro

E.M.A. Emergency Statistics updated 24.9.2026


In 2026
E.M.A. assisted the public with
Emergencies in the value of

NAD 1,087,000.00

up till now

	Medical	Trauma	Maternity	Paediatric	Level of Care: Advanced	Level of Care: Intermediate	Level of Care: Basic
January	67	30	3	0	13	33	54
February	66	40	3	2	24	26	61
March	72	37	0	2	24	18	69
April	19	10	0	0	0	15	14
May	34	26	0	0	5	16	39
June	30	12	0	0	3	11	28
July	36	19	1	0	14	16	
August	39	28	2	1	10		
September	27	14	0	0	7		
October	0	0	0	0			
November	0	0	0				
December	0	0	0				
Total per annum	390	216					353
Total	620						

Currently our ambulance is off duty, due to mechanical faults.
if you would like to assist us, bringing back your community ambulance
contact us on 9112@osh-med.pro



You can assist E.M.A. to help others by becoming a supporting member
more information on www.ema-organisation.pro

E.M.A. nonprofit organisation say THANK YOU to our supporters:

Platinum Supporter

OSH-Med international
SERVICE • TRAINING • EXCELLENCE

www.osh-med.pro

WEST CARE

www.westcarenam.com

www.metjeziegler.org

ATA OSH-Med International
Your Future in Healthcare.

www.osh-med.pro/medical-services

Gold Supporter

Teltech
Thompson's Electronics & Technology

Silver Supporter

BS
BOKEH STUDIOS

Bronze Supporter

MOTOR MEDIA NAMIBIA

SAFMED PHARMACY

UNIFY COMMUNICATIONS

Become a supporter

It is easy to become a supporter as private person or as company.
Apply with us to become a supporting member that we can fulfil our objectives.
Contact us:
Email: ema-organisation@osh-med.pro
Website: www.ema-organisation.pro
Telephone: +264 (0) 61 302 931

OSH-Med international

SERVICE • TRAINING • EXCELLENCE

&

Emergency Call

Important information to give:

- **Where** is the emergency?
- **What** happened?
- **What** kind of injuries?
- **How many** injured person
- **Waiting** for further question

Emergency Numbers:

Ambulance services:

E.M.A. Rescue Service 9112

Fire Brigade:

Windhoek 061-21 1111

Police:

NamPol 10 111

City Police (Whk) 061-302 302

MVA Fund 9682

(all numbers are from GRN or non-profit organisations)

d.o.c. doctors on call in association with OSH-Med International, Emergency Medical Assistance, WEST

085 9112

d.o.c. Service Hotline 085 - 9112

OSH-Med International and Emergency & Medical Assistance Service Hotline: 061 – 302 931